Physica C 191 (1992) 531–535
North-Holland

PHYSICA C

Author Index to Volume 191

Abrikosov, A.A. and R.A. Klemm, The dependence of Δ and T_c on hopping and the temperature variation of Δ in a layered model of HTSC **191**, 224
Adachi, S., K. Kubo, S. Takano and H. Yamauchi, Superconductivity in Ga-based "1212" cuprates **191**, 174
Agarwal, S.K., see V.P.S. Awana **191**, 43
Akinaga, H., see K. Takita **191**, 509
Alexandrov, A.S., Normal state of strongly coupled electrons and phonons: dielectric properties, vibrational excitations and application to high-T_c superconducting metal oxides **191**, 115
Alonso, J., see X. Granados **191**, 371
Aoki, Y., see T. Usui **191**, 321
Aoyagi, H., see Y. Sasaki **191**, 347
Apaja, V., see A. Kallio **191**, 23
Arakawa, T., see T. Nishida **191**, 297
Aruchamy, A., see S.J. Kim **191**, 316
Asano, H., see A. Ichinose **191**, 205
Asano, H., see T. Ishigaki **191**, 441
Atanassova, Y., see M. Iliev **191**, 419
Awana, V.P.S., S.K. Agarwal, R. Ray, S. Gupta and A.V. Narlikar, Superconductivity and resistivity studies in $Bi_2Sr_2Ca_{1-x}M_xCu_2O_{8+y}$ (M = Eu, Dy, Tm and $0 \leqslant x \leqslant 0.6$) **191**, 43

Backe, H., see J. Bechtold **191**, 199
Bajorek, A., see M. Bałanda **191**, 515
Bałanda, M., A. Bajorek, A. Szytuła and Z. Tomkowicz, Magnetic relaxation in $Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **191**, 515
Bechtold, J., Y.Y. Xue, Z.J. Huang, E.V. Hungerford, P.H. Hor, C.W. Chu, X.K. Maruyama, H. Backe, F.R. Buskirk, S.M. Connors, D.D. Snyder, Y.C. Jean and J.W. Farmer, Defect size dependence of critical current density enhancement for irradiated $YBa_2Cu_3O_{7-\delta}$ **191**, 199
Bhat, V., C.N.R. Rao and J.M. Honig, Superconductivity of $La_{2-y}Sr_yCu_{1-x}Ni_xO_{4+\delta}$ ($y = 0.1, 0.2$; $0 \leqslant x \leqslant 0.5$). The hole-compensating effect of Ni **191**, 271
Birnie III, D.P., see S.J. Kim **191**, 316
Bonoldi, L., see P. Carretta **191**, 97
Bornemann, H.J., D.E. Morris, H.B. Liu and P.K. Narwankar, Dependence of the oxygen isotope effect upon hole density in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ and $Y_{1-x}Ca_xBa_2Cu_4O_8$ **191**, 211
Bourgault, D., see M.R. Lees **191**, 414
Bozukov, L., see M. Iliev **191**, 419
Braden, M., G. Heger, P. Schweiss, Z. Fisk, K. Gamayunov, I. Tanaka and H. Kojima, Characterization and structural analysis of twinned $La_{2-x}Sr_xCuO_{4\pm\delta}$ crystals by neutron diffraction **191**, 455
Braithwaite, D., see M.R. Lees **191**, 414
Burdett, J.K., Oxygen ordering and plane-to-chain electron transfer in $YBa_2Cu_3O_{7-\delta}$ **191**, 282
Bush, A.A., see M.F. Limonov **191**, 255
Buskirk, F.R., see J. Bechtold **191**, 199

Carretta, P., M. Corti, A. Rigamonti, R. De Renzi, F. Licci, C. Paris, L. Bonoldi, M. Sparpaglione and L. Zini, NMR-NQR evidence on the independence of T_c of the spin-fluctuations properties in $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_{7-\delta}$ **191**, 97
Cava, R.J., J.J. Krajewski, H. Takagi, H.W. Zandbergen, R.B. Van Dover, W.F. Peck Jr. and B. Hessen, Superconductivity at 28 K in a cuprate with a niobium oxide intermediary layer **191**, 237
Černák, J., see P. Kopčanský **191**, 409
Chaddah, P., see S. Kumar **191**, 450
Chaminade, J.P., see V. Hardy **191**, 85
Chen, T.G., see C.J. Zhou **191**, 185
Chu, C.W., see J. Bechtold **191**, 199
Connors, S.M., see J. Bechtold **191**, 199
Corti, M., see P. Carretta **191**, 97
Cui, C.G., see C.A. Wang **191**, 52

Dabrowski, B., W.M. Peng, V. Melim, C.W. Kimball, S.Y. Pei, D.R. Richards, Y. Zheng, J.D. Jorgensen, D.G. Hinks, A.W. Mitchell and B.D. Dunlap, Structural and superconducting properties of isoelectronic Sb-substituted $Ba_{1-x}K_xBiO_3$ **191**, 151
Dascoulidou, A., see C. Hohn **191**, 354
De Jongh, L.J., see C.J. Muller **191**, 485
De Rango, P., see M.R. Lees **191**, 414
De Renzi, R., see P. Carretta **191**, 97
Deutscher, G., see V.Z. Kresin **191**, 9
Dolata, R., M. Fischer and W. Jutzi, Optical end point detection of etched YBCO films **191**, 525
Drechsler, S.L., see T. Galbaatar **191**, 377
Driver, R., see K.-H. Müller **191**, 339
Dunlap, B.D., see B. Dabrowski **191**, 151
Durčok, S., see V. Hardy **191**, 85

El-Bayoumi, O.H., see S.J. Kim **191**, 316
Endoh, Y., see K. Yamada **191**, 15

Farmer, J.W., see J. Bechtold **191**, 199
Feldmann, W.L., see J. Lesueur **191**, 325
Fink, C., see M. Klauda **191**, 137
Fischer, M., see R. Dolata **191**, 525
Fisk, Z., see M. Braden **191**, 455
Fontcuberta, J., see X. Granados **191**, 371
Freeman, A.J., see D.L. Novikov **191**, 399

Freimuth, A., see C. Hohn **191**, 354
Frison, J.C., see V. Hardy **191**, 85
Fuchizaki, K., see Y. Miyazaki **191**, 434
Fujita, J., see T. Satoh **191**, 359
Funahashi, S., see Y. Miyazaki **191**, 434

Galbaatar, T. and S.L. Drechsler, The upper critical field of an anharmonic superconductor **191**, 377
Gamayunov, K., see M. Braden **191**, 455
Gilberd, P.W., see M.R. Presland **191**, 307
Gonzalez Calbet, J.M., see X. Granados **191**, 371
Granados, X., J. Fontcuberta, J. Alonso, M. Vallet and J.M. Gonzalez Calbet, Approaching the I–M transition in $Nd_{2-x}Sr_xNiO_{4+\delta}$ **191**, 371
Greene, L.H., see J. Lesueur **191**, 325
Gronsky, R., see M.E. Tidjani **191**, 260
Groult, D., see V. Hardy **191**, 85
Groult, D., see A. Maignan **191**, 333
Gubanov, V.A., see D.L. Novikov **191**, 399
Güntherodt, H.-J., see T. Kroener **191**, 243
Gupta, S., see V.P.S. Awana **191**, 43

Hadjiev, V.G., see M. Iliev **191**, 419
Halperin, W.P., see Y.-Q. Song **191**, 131
Hardy, V., J. Provost, D. Groult, M. Hervieu, B. Raveau, S. Durčok, E. Pollert, J.C. Frison, J.P. Chaminade and M. Pouchard, Strong shift of the irreversibility line in bismuth and thallium based 2212 HTSC single crystals irradiated by 6.0 GeV Pb ions **191**, 85
Heger, G., see M. Braden **191**, 455
Hervieu, M., see A.Q. Pham **191**, 77
Hervieu, M., see V. Hardy **191**, 85
Hervieu, M., see A. Maignan **191**, 333
Hessen, B., see R.J. Cava **191**, 237
Hinks, D.G., see B. Dabrowski **191**, 151
Hiraga, K., see Y. Miyazaki **191**, 434
Hirai, T., see Y. Miyazaki **191**, 434
Hitterman, R.L., see H. Takahashi **191**, 248
Hohn, C., A. Dascoulidou, O. Maldonado, T. Zetterer and A. Freimuth, Hall-effect of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **191**, 354
Honig, J.M., see V. Bhat **191**, 271
Hor, P.H., see J. Bechtold **191**, 199
Hosoya, S., see K. Yamada **191**, 15
Housley, R.M., see P.E.D. Morgan **191**, 179
Huang, Z.J., see J. Bechtold **191**, 199
Hug, H.J., see T. Kroener **191**, 243
Hungerford, E.V., see J. Bechtold **191**, 199
Hunter, B.A., see H. Takahashi **191**, 248

Ichinose, A., T. Wada, Y. Yaegashi, F. Izumi, H. Yamauchi, H. Asano and S. Tanaka, Structural properties of the nonsuperconductor $(Ho,Ce)_2(Sr,Ba,La)_2Cu_3O_{8+z}$ **191**, 205
Igarashi, H., see T. Satoh **191**, 359
Ikeda, K., I. Tomeno, K. Takamuku, K. Yamaguchi, R. Itti and N. Koshizuka, Ultrahigh vacuum STM/STS studies of the Bi–O surface in $Bi_2Sr_2CuO_y$ single crystals **191**, 505
Iliev, M., Y. Atanassova, L. Bozukov, J. Tihov, V.G. Hadjiev and E. Liarokapis, Raman and Mössbauer study of the pseudo-orthorhombic-to-tetragonal phase transition in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ $(0.02 \leqslant x \leqslant 0.15)$ **191**, 419
Iliev, M.N., G.A. Zlateva, P. Nozar and P. Stastny, Polarized Raman scattering from $Y_{1-x}Pr_xBa_2Cu_3O_7$ $(0.1 \leqslant x \leqslant 1)$ single crystals **191**, 477
Inam, A., see J. Lesueur **191**, 325
Ishigaki, T., F. Izumi, T. Wada, N. Suzuki, Y. Yaegashi, H. Asano, H. Yamauchi and S. Tanaka, Structural changes and redistribution of holes by Sr-doping in $YBa_2Cu_4O_8$ **191**, 441
Itti, R., see K. Ikeda **191**, 505
Izumi, F., see A. Ichinose **191**, 205
Izumi, F., see H. Takahashi **191**, 248
Izumi, F., see T. Ishigaki **191**, 441

Jean, Y.C., see J. Bechtold **191**, 199
Jia, C.L., see H. Soltner **191**, 1
Jing, X.N., see C.A. Wang **191**, 52
Jorgensen, J.D., see B. Dabrowski **191**, 151
Jorgensen, J.D., see H. Takahashi **191**, 248
Jung, T.A., see T. Kroener **191**, 243
Jutzi, W., see R. Dolata **191**, 525

Kabius, B., see H. Soltner **191**, 1
Kajitani, T., see Y. Miyazaki **191**, 434
Kallio, A., V. Apaja and X. Xiong, Exponent relations for superfluids with pair breaking **191**, 23
Kamei, M., see T. Usui **191**, 321
Kao, Y.H., see C.Y. Lee **191**, 429
Katada, M., see T. Nishida **191**, 297
Kim, S.J., D.P. Birnie III, A. Aruchamy, D.R. Uhlmann, O.H. El-Bayoumi and M.J. Suscavage, Phase separation in Bi–Sr–Ca–Cu–O melts during quenching **191**, 316
Kimball, C.W., see B. Dabrowski **191**, 151
Klauda, M., P. Lunz, J. Markl, J.P. Ströbel, C. Fink and G. Saemann-Ischenko, Electronic structure of T*-type $Nd_{1.4}Ce_{0.2}Sr_{0.4}CuO_4$ studied by photoelectron spectroscopy **191**, 137
Klemm, R.A., see A.A. Abrikosov **191**, 224
Klemm, R.A. and S.H. Liu, Crossover from real space to intraband pairing in the copper oxide superconductors **191**, 383
Kodama, Y., see K. Yanagisawa **191**, 32
Koh, S., Superconductivity beyond the Gorkov decoupling I **191**, 167
Kojima, H., see M. Braden **191**, 455
Konsin, P. and T. Örd, Free energy of the high-T_c two-band superconductor and the temperature dependence of gaps in the phase transition region **191**, 469
Kopčanský, P., J. Černák, G. Legeň, T. Litavec, J. Kováč, M. Timko and V. Vojteková, Structuralization of high-T_c superconductive particles of $YBa_2Cu_3O_{7-x}$ oxide by means of a magnetic fluid and polymerization technique **191**, 409
Koshelev, A.E., Thermally activated penetration of magnetic

flux through a surface barrier in high-T_c superconductors **191**, 219
Koshizuka, N., see K. Ikeda **191**, 505
Kováč, J., see P. Kopčanský **191**, 409
Krajewski, J.J., see R.J. Cava **191**, 237
Kresin, V.Z., S.A. Wolf and G. Deutscher, The effect of phonon-mediated charge transfer and internal proximity effect on the properties of multigap cuprate superconductors **191**, 9
Kroener, T., G. Linker, O. Meyer, B. Strehlau, Th. Wolf, H.J. Hug, T.A. Jung and H.-J. Güntherodt, Atomic force microscopy characterization of a YBaCuO crystal surface patterned by proton irradiation **191**, 243
Kubo, K., see S. Adachi **191**, 174
Kubo, Y., see H. Takahashi **191**, 248
Kumar, S., S.B. Roy, P. Chaddah, R. Prasad and N.C. Soni, History effects in harmonic generation in sintered pellets of YBaCuO **191**, 450

Larisch, A., see J. Röhler **191**, 57
Lee, C.Y., L.W. Song and Y.H. Kao, Hysteresis in AC magnetic susceptibility and onset of field penetration in bulk granular $YBa_2Cu_3O_y$ superconductors **191**, 429
Lees, M.R., D. Bourgault, D. Braithwaite, P. de Rango, P. Lejay, A. Sulpice and R. Tournier, Transport properties of magnetically textured $YBa_2Cu_3O_{7-\delta}$ **191**, 414
Legeň, G., see P. Kopčanský **191**, 409
Lejay, P., see M.R. Lees **191**, 414
Lesueur, J., L.H. Greene, W.L. Feldmann and A. Inam, Zero bias anomalies in $YBa_2Cu_3O_7$ tunnel junctions **191**, 325
Li, H.C., see C.A. Wang **191**, 52
Li, J., see C.A. Wang **191**, 52
Li, L., see C.A. Wang **191**, 52
Li, S.L., see C.A. Wang **191**, 52
Liarokapis, E., see M. Iliev **191**, 419
Licci, F., see P. Carretta **191**, 97
Limonov, M.F., Yu.F. Markov, A.G. Panfilov, B.S. Razbirin, P.P. Syrnikov and A.A. Bush, Interrelation of the structure, vibrational spectra and critical temperature of (123)-superconductors **191**, 255
Linker, G., see T. Kroener **191**, 243
Litavec, T., see P. Kopčanský **191**, 409
Liu, H.B., see H.J. Bornemann **191**, 211
Liu, R.S., see M.R. Presland **191**, 307
Liu, S.H., see R.A. Klemm **191**, 383
Lönnberg, B., T. Lundström and P. Norling, Substitution of vanadium and chromium for copper in $Bi_2Sr_2CaCu_2O_8$ **191**, 147
Lundström, T., see B. Lönnberg **191**, 147
Lunz, P., see M. Klauda **191**, 137

Maekawa, S., see T. Tohyama **191**, 193
Maignan, A., see A.Q. Pham **191**, 77
Maignan, A., C. Michel, M. Hervieu, J. Provost, D. Groult and B. Raveau, $La_{2-x}Pb_xCuO_{4\pm\delta}$, a 15 K superconductor with a pseudotetragonal K_2NiF_4 structure **191**, 333
Maldonado, O., see C. Hohn **191**, 354
Manako, T., see H. Takahashi **191**, 248
Maple, M.B., see J.J. Neumeier **191**, 158
Markl, J., see M. Klauda **191**, 137
Markov, Yu.F., see M.F. Limonov **191**, 255
Maruyama, X.K., see J. Bechtold **191**, 199
Matsui, Y., see K. Yanagisawa **191**, 32
Matsumoto, T., see K. Yanagisawa **191**, 32
Matsumoto, Y., see T. Nishida **191**, 297
Matthews, D.N., see K.-H. Müller **191**, 339
Melim, V., see B. Dabrowski **191**, 151
Meyer, O., see T. Kroener **191**, 243
Michel, C., see A.Q. Pham **191**, 77
Michel, C., see A. Maignan **191**, 333
Mitchell, A.W., see B. Dabrowski **191**, 151
Miyazaki, Y., H. Yamane, T. Kajitani, T. Oku, K. Hiraga, Y. Morii, K. Fuchizaki, S. Funahashi and T. Hirai, Preparation and crystal structure of $Sr_2CuO_2(CO_3)$ **191**, 434
Morgan, P.E.D., J.D. Piché and R.M. Housley, Use of a thermal gradient to study the role of liquid phase during the formation of bismuth high temperature superconductors **191**, 179
Morii, Y., see Y. Miyazaki **191**, 434
Morishita, T., see T. Usui **191**, 321
Morris, D.E., see H.J. Bornemann **191**, 211
Muller, C.J., J.M. van Ruitenbeek and L.J. de Jongh, Experimental observation of the transition from weak link to tunnel junction **191**, 485
Müller, K.-H., D.N. Matthews and R. Driver, Critical current density of ceramic high-temperature superconductors in a low magnetic field **191**, 339
Müller, O., J. Schubert, W. Zander and B. Stritzker, Aging of the superconducting properties of thin $Y_1Ba_2Cu_3O_x$ films and their passivation by an amorphous YBaCuO layer **191**, 103

Nakajima, K., see K. Yamada **191**, 15
Nandakumaran, V.M., see S.V. Vettoor **191**, 277
Narlikar, A.V., see V.P.S. Awana **191**, 43
Narwankar, P.K., see H.J. Bornemann **191**, 211
Neumeier, J.J. and M.B. Maple, Superconducting critical temperature and electrical resistivity of the system $Y_{1-x}Pr_xBa_2Cu_3O_{6.95}$ $(0 \leqslant x \leqslant 1)$ **191**, 158
Nishida, T., Y. Takashima, M. Katada, Y. Matsumoto and T. Arakawa, Anomaly in the phonon system below the $T_{c(on)}$ of superconducting $YBa_2(Cu_{0.995}Sn_{0.005})_3O_{7-y}$ ($y=0.15$, 0.31, 0.40, 0.51) and the normal phonon in semiconducting $YBa_2(Cu_{0.995}Sn_{0.005})_3O_{6.1}$ **191**, 297
Norling, P., see B. Lönnberg **191**, 147
Novikov, D.L., V.A. Gubanov and A.J. Freeman, Electronic structure, electron–phonon interaction and superconductivity in K_3C_{60}, Rb_3C_{60} and Cs_3C_{60} **191**, 399
Nozar, P., see M.N. Iliev **191**, 477

Ohshima, T., see K. Takita **191**, 509
Oku, T., see Y. Miyazaki **191**, 434
Omata, T., see K. Yamada **191**, 15

Örd, T., see P. Konsin **191**, 469

Panfilov, A.G., see M.F. Limonov **191**, 255
Paracchini, C. and L. Romanó, Effects of the anisotropy on the non-Ohmic behaviour in high-T_c superconductors **191**, 72
Paris, C., see P. Carretta **191**, 97
Peck Jr., W.F., see R.J. Cava **191**, 237
Pei, S.Y., see B. Dabrowski **191**, 151
Pei, S.Y., see H. Takahashi **191**, 248
Peng, W.M., see B. Dabrowski **191**, 151
Pham, A.Q., A. Maignan, M. Hervieu, C. Michel, J. Provost and B. Raveau, Synthesis and characterization of $Bi_2Sr_2CaCu_2O_8$ without excess oxygen **191**, 77
Piché, J.D., see P.E.D. Morgan **191**, 179
Pollert, E., see V. Hardy **191**, 85
Poppe, U., see H. Soltner **191**, 1
Pouchard, M., see V. Hardy **191**, 85
Prasad, R., see S. Kumar **191**, 450
Presland, M.R., J.L. Tallon, P.W. Gilberd and R.S. Liu, Bulk single-superconducting-phase thallium "2234" superconductor – $Tl_{2-x}Ba_2Ca_{3+x}Cu_4O_{12-\delta}$ **191**, 307
Provost, J., see A.Q. Pham **191**, 77
Provost, J., see V. Hardy **191**, 85
Provost, J., see A. Maignan **191**, 333

Rao, C.N.R., see V. Bhat **191**, 271
Raveau, B., see A.Q. Pham **191**, 77
Raveau, B., see V. Hardy **191**, 85
Raveau, B., see A. Maignan **191**, 333
Ray, R., see V.P.S. Awana **191**, 43
Razbirin, B.S., see M.F. Limonov **191**, 255
Richards, D.R., see B. Dabrowski **191**, 151
Rigamonti, A., see P. Carretta **191**, 97
Röhler, J., A. Larisch and R. Schäfer, Evidence for charge redistribution below T_c in $YBa_2Cu_3O_{7-\delta}$ **191**, 57
Romanó, L., see C. Paracchini **191**, 72
Roy, S.B., see S. Kumar **191**, 450

Saemann-Ischenko, G., see M. Klauda **191**, 137
Sasaki, Y., H. Aoyagi, H. Takeishi and Z. Yoshida, Determination of concentration and distribution of $(CuO)^+$ in high-T_c superconducting $La_{2-x}Sr_xCuO_y$ pellet by flow-coulometry **191**, 347
Satoh, T., J. Fujita, T. Yoshitake and H. Igarashi, Microstructure of $Bi_2(Sr,Ca)_3Cu_2O_x$ thin films on vicinal $SrTiO_3$ substrates **191**, 359
Schäfer, R., see J. Röhler **191**, 57
Schubert, J., see O. Müller **191**, 103
Schweiss, P., see M. Braden **191**, 455
Shimakawa, Y., see H. Takahashi **191**, 248
Snyder, D.D., see J. Bechtold **191**, 199
Soltner, H., C.L. Jia, B. Kabius, U. Poppe, P. Swiatek and K. Urban, Microstructure of heteroepitaxial $YBa_2Cu_3O_7$/$SrTiO_3$ multilayer thin films **191**, 1
Song, L.W., see C.Y. Lee **191**, 429
Song, Y.-Q. and W.P. Halperin, Electronic spin susceptibility in superconducting $YBa_2Cu_3O_7$ from nuclear spin–spin coupling **191**, 131
Soni, N.C., see S. Kumar **191**, 450
Sparpaglione, M., see P. Carretta **191**, 97
Stastny, P., see M.N. Iliev **191**, 477
Strehlau, B., see T. Kroener **191**, 243
Stritzker, B., see O. Müller **191**, 103
Ströbel, J.P., see M. Klauda **191**, 137
Sulpice, A., see M.R. Lees **191**, 414
Sumida, T., see K. Yamada **191**, 15
Suscavage, M.J., see S.J. Kim **191**, 316
Suzuki, N., see T. Ishigaki **191**, 441
Swiatek, P., see H. Soltner **191**, 1
Syrnikov, P.P., see M.F. Limonov **191**, 255
Szytuła, A., see M. Bałanda **191**, 515

Tachiki, M. and S. Takahashi, Proximity effect in high-T_c oxide superconductors **191**, 363
Takagi, H., see R.J. Cava **191**, 237
Takahashi, H., J.D. Jorgensen, B.A. Hunter, R.L. Hitterman, S.Y. Pei, F. Izumi, Y. Shimakawa, Y. Kubo and T. Manako, Anomalous behavior of the pressure dependence of lattice constants in $Tl_2Ba_2CuO_{6+x}$ **191**, 248
Takahashi, S., see M. Tachiki **191**, 363
Takamuku, K., see K. Ikeda **191**, 505
Takano, M., see K. Takita **191**, 509
Takano, S., see S. Adachi **191**, 174
Takashima, Y., see T. Nishida **191**, 297
Takeda, Y., see K. Takita **191**, 509
Takeishi, H., see Y. Sasaki **191**, 347
Takita, K., H. Akinaga, T. Ohshima, Y. Takeda and M. Takano, Charge transfer and superconductivity in $Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7+x}$ prepared in high pressure oxygen **191**, 509
Tallon, J.L., see M.R. Presland **191**, 307
Tanaka, I., see M. Braden **191**, 455
Tanaka, S., see A. Ichinose **191**, 205
Tanaka, S., see T. Usui **191**, 321
Tanaka, S., see T. Ishigaki **191**, 441
Tidjani, M.E. and R. Gronsky, Structural characterization of the Ag–$YBa_2Cu_3O_{7-x}$ interface **191**, 260
Tihov, J., see M. Iliev **191**, 419
Timko, M., see P. Kopčanský **191**, 409
Tohyama, T. and S. Maekawa, One-particle excitation spectra, optical conductivity and O 1s X-ray absorption spectra in high-T_c cuprates: a cluster model approach **191**, 193
Tomeno, I., see K. Ikeda **191**, 505
Tomkowicz, Z., see M. Bałanda **191**, 515
Tournier, R., see M.R. Lees **191**, 414
Tsai, M.-H., The possibility of phonon induced antiferromagnetic magnons in cuprate superconductors at low temperatures **191**, 108

Uhlmann, D.R., see S.J. Kim **191**, 316
Urban, K., see H. Soltner **191**, 1
Usui, T., M. Kamei, Y. Aoki, T. Morishita and S. Tanaka, X-ray chemical analysis of $YBa_2Cu_3O_x$ thin film by total-

reflection-angle X-ray spectroscopy **191**, 321

Vallet, M., see X. Granados **191**, 371
Van Dover, R.B., see R.J. Cava **191**, 237
Van Ruitenbeek, J.M., see C.J. Muller **191**, 485
Vettoor, S.V. and V.M. Nandakumaran, Density of states in high T_c superconductors **191**, 277
Vojteková, V., see P. Kopčanský **191**, 409

Wada, T., see A. Ichinose **191**, 205
Wada, T., see T. Ishigaki **191**, 441
Wang, C.A., R.L. Wang, H.C. Li, H.R. Yi, C.G. Cui, S.L. Li, X.N. Jing, J. Li, P. Xu and L. Li, The pinning process of $GdBa_2Cu_3O_{7-x}$ films **191**, 52
Wang, R.L., see C.A. Wang **191**, 52
Wolf, S.A., see V.Z. Kresin **191**, 9
Wolf, Th., see T. Kroener **191**, 243

Xie, X.M., see C.J. Zhou **191**, 185
Xiong, X., see A. Kallio **191**, 23
Xu, P., see C.A. Wang **191**, 52
Xue, Y.Y., see J. Bechtold **191**, 199

Yaegashi, Y., see A. Ichinose **191**, 205
Yaegashi, Y., see T. Ishigaki **191**, 441
Yamada, K., T. Omata, K. Nakajima, S. Hosoya, T. Sumida and Y. Endoh, Magnetic structure and weak ferromagnetism of $La_2NiO_{4+\delta}$ **191**, 15
Yamada, Y., see K. Yanagisawa **191**, 32
Yamaguchi, K., see K. Ikeda **191**, 505
Yamane, H., see Y. Miyazaki **191**, 434
Yamauchi, H., see S. Adachi **191**, 174
Yamauchi, H., see A. Ichinose **191**, 205
Yamauchi, H., see T. Ishigaki **191**, 441
Yanagisawa, K., Y. Matsui, Y. Kodama, Y. Yamada and T. Matsumoto, Effects of Fe and Ni substitutions on the 1-2-4 structure of YBCO superconductors studied by high-resolution transmission electron microscopy. Effects of Fe and Ni substitutions on $YBa_2Cu_4O_y$ studied by HRTEM **191**, 32
Yi, H.R., see C.A. Wang **191**, 52
Yoshida, Z., see Y. Sasaki **191**, 347
Yoshitake, T., see T. Satoh **191**, 359

Zandbergen, H.W., see R.J. Cava **191**, 237
Zander, W., see O. Müller **191**, 103
Zetterer, T., see C. Hohn **191**, 354
Zheng, Y., see B. Dabrowski **191**, 151
Zhou, C.J., X.M. Xie and T.G. Chen, Oxygen in-diffusion in 2223 phase BPSCCO superconductor oxide **191**, 185
Zini, L., see P. Carretta **191**, 97
Zlateva, G.A., see M.N. Iliev **191**, 477

Physica C 191 (1992) 537–538
North-Holland

PHYSICA C

Analytic Subject Index to Volume 191

AC susceptibility 429, 450
Aging 103
Anharmonicity 377
Anisotropic superconductor 72
Antiferromagnetic order 15, 108
Applications of high-T_c superconductors 243, 409, 525

BCS model 167, 383
Bi–Sr–Ca–Cu–O 359

C_{60} compounds 399
Carrier concentration 193, 211, 271, 282, 419, 441, 469, 509
Charge distribution 307
Charge transfer 9, 57, 282
Coulomb interaction 137
Critical current density 103, 199, 339, 414
Critical state model 450
Cu–O chains 32, 509
Cu–O planes 108, 137, 509

Debye model 297
Debye temperature 108
Defect structures 32, 199, 260, 359
Density of states 277

Electrical resistivity 43, 185
–of $Y_{1-x}Pr_xBa_2Cu_3O_{6.95}$ 158
Electronic structure 193, 282, 399
–of $Nd_{1.4}Ce_{0.2}Sr_{0.4}CuO_4$ 137
Electron–phonon coupling 399
Eliashberg equations 167
Energy gap 9, 224, 469, 505
Exchange-mediated pairing 167

Fluctuation effects 85, 219
Flux dynamics 219
Flux lattice 52
Flux pinning 52, 199, 515

Gorkov decoupling 167
Grain alignment (texturing) 414
Grain boundaries 77
Granular superconductivity 339, 429, 450

Hall effect
–in $Tl_2Ba_2Ca_2Cu_3O_{10}$ 354
Heavy-fermion compounds 23
High pressure effect 248
HREM 1, 32, 237, 260, 359, 434
Hubbard Hamiltonian 277

Impurity scattering 363
Infrared spectroscopy 371
Interfaces 1, 260
Interlayer pairing 383
Irradiation effect 85, 243
–on $YBa_2Cu_3O_{7-\delta}$ 199
Irreversibility line 85
Isotope effect 211

Kondo effect 325
Kosterlitz–Thouless model 72

Lattice dynamics 57, 255
Lattice parameters 205, 248, 307, 333
–of $Bi_2Sr_2CaCu_2O_8$ 147
Layered model 224
Lower critical field H_{c1} 429

Madelung energy 441
Magnetic fluid 409
Magnetic relaxation 515
Magnetic susceptibility 15, 237, 333
Magnetization 219, 271
Magnetoresistance 354
Metal–insulator transition 43, 158, 243
–in $Nd_{2-x}Sr_xNiO_{4+\delta}$ 371
Microwave absorption 9
Modulated structures 316, 505
Mössbauer spectroscopy 151, 297, 419
Multilayers 1

Neutron diffraction 205, 248, 434, 441, 455
–in $La_2NiO_{4+\delta}$ 15
NMR 23
–in $YBa_2Cu_3O_{7-\delta}$ 97
–in $YBa_2Cu_4O_8$ 97
Non-ohmic behaviour 72
Normal-state properties 115, 354
NQR 97, 131

Optical spectroscopy 193
O–T transition 419, 455
Oxidation state analysis 347
Oxygen diffusion 185
Oxygen stoichiometry 15, 185, 211, 282

Pair breaking 23, 158, 383
Phase diagram 371
Phase separation 316
Phonon mechanism 255, 377
Plasmon mechanism 115
Proximity effect 363
–in $YBa_2Cu_3O_7$ 9
Pseudo gap 23

Raman scattering 224, 255, 477
–in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 419

Scanning electron microscopy 321
Scanning tunneling microscopy 243
Self-field effect 339
Softening of lattice vibration 297
Specific heat 277
Specific heat, low-T 23
Spin fluctuations 325
Spin–lattice relaxation time T_1 97
Spin–spin relaxation time T_2
–in $YBa_2Cu_3O_7$ 131
Spin susceptibility 131
STM 505
Strong correlation 277
Structural phase transition 15, 151, 243
Structure
–of $Bi_2Sr_2Ca_1Cu_2O_x$ 316
–of Bi–Sr–Ca–Cu–O 179
–of $(Ga_{1-y}Cu_y)Sr_2(Y_{1-x}Ca_x)Cu_2O_7$ 174
–of $(Ho_{2/3}Ce_{1/3})_2(Sr_{1/3}Ba_{1/3}La_{1/3})_2Cu_3O_{8+z}$ 205
–of $La_{2-x}Pb_xCuO_{4\pm\delta}$ 333
–of $La_{2-x}Sr_xCuO_{4\pm\delta}$ 455
–of $La_{2-x}Sr_xCuO_y$ 347
–of $Sr_2CuO_2(CO_3)$ 434
–of $Tl_{2-x}Ba_2Ca_{3+x}Cu_4O_{12-\delta}$ 307
–of $Y(Ba_{1-x}Sr_x)_2Cu_4O_8$ 441
Substitution effects 158, 419
–in $Ba_{1-x}K_xBiO_3$ 151
–in $Bi_2Sr_2Ca_{1-x}Cu_2O_{8+y}$ (M=Eu,Dy,Tm) 43
–in $Bi_2Sr_2CaCu_2O_8$ 147
–in $Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 515

–in $(La,Sr)(Cu,Ni)O_{4+\delta}$ 271
–in $Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7+x}$ 509
–in $Y_{1-x}Pr_xBa_2Cu_3O_7$ 477
–in $YBa_2Cu_3O_{7-\delta}$ 97
–in $YBa_2Cu_4O_8$ 97
Substitution effects of Fe and Ni
–in $YBa_2Cu_4O_y$ 32
Superconductive particles 409
Surface barrier 219
Synthesis
–of $Ba_{1-x}K_xBiO_3$ 151
–of $Bi_2Sr_2CaCu_2O_8$ 77
–of $Bi_2Sr_2CuO_y$ 505
–of Bi–Sr–Ca–Cu–O 179
–of $(Ga_{1-y}Cu_y)Sr_2(Y_{1-x}Ca_x)Cu_2O_7$ 174
–of $La_{2-x}Pb_xCuO_{4\pm\delta}$ 333
–of $La_{2-x}Sr_xCuO_y$ 347
–of $Sr_2CuO_2(CO_3)$ 434
–of $Sr_2Nd_{1.5}Ce_{0.5}NbCu_2O_{10-\delta}$ 237
–of $Tl_{2-x}Ba_2Ca_{3+x}Cu_4O_{12-\delta}$ 307
–of $YBa_2Cu_3O_{7-\delta}$ 414

Thermal conductivity 354
Thermoelectric effects 371
Thin films 1, 52, 103, 321, 325, 359, 525
Tunneling 325, 363, 485
Twin boundaries 455
Two-band model 469

Ultrasound attenuation 23
Upper critical field H_{c2} 377

Weak links 339, 485

XANES
–in $YBa_2Cu_3O_{7-\delta}$ 57
XAS 193
XPS 137